



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Atty. Docket No: Q76319

In re patent application of

KOUCHI, YASUHIRO

Serial No. Unassigned

10/627,757

Filed: Concurrently Herewith

For: GENE ASSAY METHOD FOR PREDICTING GLAUCOMA ONSET RISK

STATEMENT TO SUPPORT FILING AND SUBMISSION IN  
ACCORDANCE WITH 37 C.F.R. §§ 1.821-1.825

Assistant Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
Mail Stop SEQUENCE

Sir:

In connection with a Sequence Listing submitted concurrently herewith, the undersigned hereby states that:

1. the submission, filed herewith in accordance with 37 C.F.R. § 1.821(g), does not include new matter;

2. the content of the attached paper copy and the attached computer readable copy of the Sequence Listing, submitted in accordance with 37 C.F.R. § 1.821(c) and (e), respectively, are the same.

Respectfully submitted,

July 23, 2003  
Date

James A. Coburn  
James A. Coburn

HARBOR CONSULTING IP SERVICES, INC.  
1500A Lafayette Road, #262  
Portsmouth, N.H.  
800-318-3021